

L Number	Hits	Search Text	DB	Time stamp
-	3663	ueno.inv.	USPAT; US-PGPUB; IBM_TDB	2004/06/14 15:12
-	105	ueno.inv. and (encod\$4 near3 data)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:09
-	1	ueno.inv. and ((encod\$4 near3 data)with (includ\$4 adj clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/14 15:27
-	2	ueno.inv. and ((decod\$4 near3 data)adj4 write)	USPAT; US-PGPUB; IBM_TDB	2004/06/14 15:20
-	1206	(encod\$4 near3 ((information or data)adj4 clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/14 15:27
-	9	((encod\$4 near3 ((information or data)adj4 clock))) and ((decod\$4 near3 data)adj4 write)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:31
-	215	(encod\$4 near3 ((information or data)adj4 clock))	EPO; JPO; DERWENT	2004/06/14 15:27
-	0	((encod\$4 near3 ((information or data)with clock))) and ((encod\$4 near3 data)with (includ\$4 adj clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/14 15:28
-	0	((encod\$4 near3 ((information or data)with clock))) and ((encod\$4 near3 data)with (clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/14 15:28
-	0	((encod\$4 near3 ((information or data)with clock))) and (determin\$6 near3 (speed or rate))	USPAT; US-PGPUB; IBM_TDB	2004/06/14 15:30
-	0	((encod\$4 near3 ((information or data)with clock))) and ((detect\$4 or find\$4 or calculat\$4 or determin\$6) near6 (speed or rate))	USPAT; US-PGPUB; IBM_TDB	2004/06/14 15:30
-	3	((encod\$4 near3 ((information or data)with clock))) and ((detect\$4 or find\$4 or calculat\$4 or determin\$6) near6 (speed or rate))	EPO; JPO; DERWENT	2004/06/14 16:26
-	244	(encod\$4 near3 ((information or data)with clock))	EPO; JPO; DERWENT	2004/06/14 16:24
-	1419	(encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data with clock)	EPO; JPO; DERWENT	2004/06/18 14:39
-	5958	(encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data with clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:47
-	19	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data with clock)) and ((detect\$4 or find\$4 or calculat\$4 or determin\$6) near6 (speed or rate))	EPO; JPO; DERWENT	2004/06/14 16:31
-	1507	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data with clock)) and ((detect\$4 or find\$4 or calculat\$4 or determin\$6) near6 (speed or rate))	USPAT; US-PGPUB; IBM_TDB	2004/06/14 16:31
-	1	5249186.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:42
-	1	5245136.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:42
-	1	5050194.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:45
-	1	4442528.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:45
-	4956	(encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:10
-	392	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and (write adj3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:40

-	264	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and (write adj3 clock)) and (read adj3 clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:48
-	243	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and (write adj1 clock)	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 09:23
-	173	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and (write adj1 clock)) and (read adj1 clock)	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 08:51
-	161	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and (write adj1 clock)) and (read adj1 clock)) and (storage or memory)	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 08:51
-	117	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and (write adj1 clock)) and (read adj1 clock)) and (decoder or encoder)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:51
-	1163	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) same (decoder or encoder)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:51
-	78	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) same (decoder or encoder)) and (write adj1 clock)	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 10:26
-	50	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) same (decoder or encoder)) and (write adj1 clock)) and (read adj1 clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:51
-	49	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) same (decoder or encoder)) and (write adj1 clock)) and (read adj1 clock)) and (storage or memory)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 08:52
-	53	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) same (encoded near4 (includ\$4 adj6 (data near3 clock)))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 09:27
-	26	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and ((determin\$7 or detect\$4) adj6 (transfer adj(speed or rate)))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 09:45
-	3	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) same (decoder or encoder)) and (write adj1 clock)) and (read adj1 clock)) and (storage or memory)) and (encoded near4 (includ\$4 adj6 (data near3 clock)))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 09:45
-	1	6359910.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/15 09:33
-	0	((encoded adj4 (includ\$4 adj6 (data near3 clock)))) and ((determin\$7 or detect\$4) adj6 (transfer adj(speed or rate)))	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 10:14
-	2	((encoded adj4 (includ\$4 adj6 (data near3 clock)))) and ((transfer adj(speed or rate)))	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 09:46
-	22	(encoded adj4 (includ\$4 adj6 (data near3 clock)))	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 09:46
-	3665	ueno.inv.	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 10:37
-	3	ueno.inv. and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 10:37
-	1	ueno.inv. and ((multiple or plural\$4)adj3 port)	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 10:13
-	89	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and ((multiple or plural\$4)adj3 port)	USPÄT; US-PGPUB; IBM_TDB	2004/06/15 10:13

-	0	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and ((multiple or plural\$4)adj3 port)) and ((determin\$7 or detect\$4) adj6 (transfer adj(speed or rate)))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:14
-	18	((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock)) and ((multiple or plural\$4)adj3 port)) and ((determin\$7 or detect\$4) adj6 ((speed or rate)))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:20
-	19441	713/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:19
-	178	713/\$.ccls. and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:39
-	22	(713/\$.ccls. and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))) and ((determin\$7 or detect\$4) adj6 ((speed or rate)))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:32
-	9	((713/\$.ccls. and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))) and (write adj1 clock)) and (read adj1 clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:26
-	14	(713/\$.ccls. and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))) and (write adj1 clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:32
-	4	((determin\$7 or detect\$4) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 15:32
-	30095	ueno.inv.	EPO; JPO; DERWENT	2004/06/15 10:37
-	0	ueno.inv. and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))	EPO; JPO; DERWENT	2004/06/15 10:38
-	0	ueno.inv. and (((determin\$7 or detect\$4) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 10:38
-	1	ueno.inv. and (((determin\$7 or detect\$4) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data))	EPO; JPO; DERWENT	2004/06/15 10:39
-	0	ueno.inv. and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))	EPO; JPO; DERWENT	2004/06/15 10:40
-	3	ueno.inv. and (write adj1 clock)	EPO; JPO; DERWENT	2004/06/15 10:40
-	5	((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:19
-	2	((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data)	EPO; JPO; DERWENT	2004/06/15 15:44
-	0	((interface with ((multiple or plural\$4 or more)near3 port))with (speed or rate)) and ((encod\$4 near3 data)with (includ\$4 adj clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 15:47
-	4	((interface with ((multiple or plural\$4 or more)near3 port))with (speed or rate)) and ((encod\$4 near3 data)with (clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 15:47
-	79	(interface with ((multiple or plural\$4 or more)near3 port))with (speed or rate)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 16:09
-	3	(ieee\$1394 or serial or usb)and (((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 16:11
-	3	(ieee\$1394 or serial or usb)and ((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data)	USPAT; US-PGPUB; IBM_TDB	2004/06/15 16:21

-	0	((ieee\$1394 or serial or usb)and ((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data)	EPO; JPO; DERWENT	2004/06/15 16:22
-	31	((ieee\$1394 or serial or usb)and (encod\$4 near3 ((information or data)adj4 clock)))	EPO; JPO; DERWENT	2004/06/15 16:22
-	764	((ieee\$1394 or serial or usb)and (encod\$4 near3 ((information or data)adj4 clock)))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 16:22
-	0	((ieee\$1394 or serial or usb)and (encod\$4 near3 ((information or data)adj4 clock))) and ((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))	EPO; JPO; DERWENT	2004/06/15 16:23
-	4	((ieee\$1394 or serial or usb)and (encod\$4 near3 ((information or data)adj4 clock))) and ((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))	USPAT; US-PGPUB; IBM_TDB	2004/06/15 16:23
-	1	((self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4)) and (write adj clock)) and ((self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4)) and (read adj clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 13:34
-	2	((self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4)) and (write adj clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 13:43
-	3	((self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4)) and (read adj clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 13:35
-	5	((self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4)) and ((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:21
-	41	(self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:53
-	2	(decod\$4 near6 (encoded adj data))with (write adj clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:22
-	1	5268937.pn.	USPAT	2004/06/17 14:25
-	1	5079519.pn.	USPAT	2004/06/17 14:25
-	1	5072407.pn.	USPAT	2004/06/17 14:26
-	1	5022057.pn.	USPAT	2004/06/17 14:27
-	1	5022056.pn.	USPAT	2004/06/17 14:27
-	1	4922141.pn.	USPAT	2004/06/17 14:27
-	9	(self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4)	EPO; JPO; DERWENT	2004/06/17 15:53
-	37920	375/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:40
-	727	375/\$.ccls. and manchester	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:17
-	370	375/\$.ccls. and (manchester adj cod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:17
-	344	375/\$.ccls. and (manchester adj encod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:18
-	260	(375/\$.ccls. and (manchester adj encod\$4)) and (decod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:18
-	2	375/\$.ccls. and (((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:40
-	568	375/\$.ccls. and (((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:21
-	0	(375/\$.ccls. and (((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)) and ((decod\$4 near6 (encoded adj data))with (write adj clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:22

-	0	(375/\$.ccls. and (((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)) and ((decod\$4 near6 (encoded adj data))same (write adj clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:22
-	93	(375/\$.ccls. and (((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)) and ((decod\$4 near6 (encoded adj data))same (write or clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:23
-	92	((375/\$.ccls. and (((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)) and ((decod\$4 near6 (encoded adj data))same (write or clock))) and ((decod\$4 near6 (encoded adj data))same (read or clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:23
-	4	((375/\$.ccls. and (((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)) and ((decod\$4 near6 (encoded adj data))same (write or clock))) and ((decod\$4 near6 (encoded adj data))same (read or clock))) and ((transfer adj((speed or rate))))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:38
-	41	((375/\$.ccls. and (((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)) and ((decod\$4 near6 (encoded adj data))same (write or clock))) and ((decod\$4 near6 (encoded adj data))same (read or clock))) and (stor\$4 near3 data)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:38
-	197	clock near3 (embed\$6 adj2 data)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:37
-	0	(clock near3 (embed\$6 adj2 data)) and (((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:38
-	20	(clock near3 (embed\$6 adj2 data)) and ((transfer adj((speed or rate))))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:38
-	13	((clock near3 (embed\$6 adj2 data)) and ((transfer adj((speed or rate)))))) and (stor\$4 near3 data)	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:38
-	40596	360/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:40
-	0	360/\$.ccls. and (((determin\$7 or detect\$4 or deci\$6) adj6 (transfer adj((speed or rate))))with (encod\$3 adj data))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:47
-	6	360/\$.ccls. and (((determin\$7 or detect\$4 or deci\$6) adj6 ((speed or rate))))with (encod\$3 adj data))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:42
-	7	(375/\$.ccls. and (((encod\$4 or combin\$4 or multiplex\$4 or mix\$4)adj data)with clock)) and (((determin\$7 or detect\$4 or deci\$6) adj6 ((speed or rate))))with (encod\$3 adj data))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:45
-	3399	(data near3 (writ\$4 or sav\$4 or stor\$4))with ((transfer or transmi\$6)adj3 (speed or rate))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:50
-	5	((data near3 (writ\$4 or sav\$4 or stor\$4))with ((transfer or transmi\$6)adj3 (speed or rate))) and (((determin\$7 or detect\$4 or deci\$6) adj6 ((transfer or transmi\$6) adj((speed or rate))))with (encod\$3 adj data))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:51
-	1353	(data near3 (writ\$4 or sav\$4 or stor\$4))with ((transfer or transmi\$6)adj3 (speed or rate))	EPO; JPO; DERWENT	2004/06/17 15:50

-	1	((data near3 (writ\$4 or sav\$4 or stor\$4))with ((transfer or transmi\$6)adj3 (speed or rate))) and (((determin\$7 or detect\$4 or deci\$6) adj6 ((transfer or transmi\$6) adj((speed or rate)))with (encod\$3 adj data))	EPO; JPO; DERWENT	2004/06/17 15:51
-	0	((data near3 (writ\$4 or sav\$4 or stor\$4))with ((transfer or transmi\$6)adj3 (speed or rate))) and ((self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4))	EPO; JPO; DERWENT	2004/06/17 15:53
-	0	((data near3 (writ\$4 or sav\$4 or stor\$4))with ((transfer or transmi\$6)adj3 (speed or rate))) and ((self\$clock\$4 adj data)with (stor\$4 or writ\$4 or read\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/17 15:54
-	21013	(determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:38
-	2	((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency))) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data with clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 08:19
-	9074	(determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency))	EPO; JPO; DERWENT	2004/06/18 08:17
-	0	((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency))) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data with clock))	EPO; JPO; DERWENT	2004/06/18 08:18
-	0	((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency))) same ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data with clock))	EPO; JPO; DERWENT	2004/06/18 08:18
-	0	((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency))) and ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data with clock))	EPO; JPO; DERWENT	2004/06/18 08:18
-	578	((re\$cover\$4 or regenerat\$4 or reproduc\$4 or extract\$4)near2 (write or clock)) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 08:21
-	586	((re\$cover\$4 or regenerat\$4 or reproduc\$4 or extract\$4 or restor\$4)near2 (write or clock)) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 08:21
-	60	((re\$cover\$4 or regenerat\$4 or reproduc\$4 or extract\$4 or restor\$4)near2 (write or clock)) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data))) and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 08:27

-	11	((((re\$cover\$4 or regenerat\$4 or reproduc\$4 or extract\$4 or restor\$4)near2 (write or clock)) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data))) and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))) and (read adj (clock or signal))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 08:25
-	1	((((re\$cover\$4 or regenerat\$4 or reproduc\$4 or extract\$4 or restor\$4)near2 (write or clock)) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data))) and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))) and (write adj (clock or signal))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 08:23
-	3	((((re\$cover\$4 or regenerat\$4 or reproduc\$4 or extract\$4 or restor\$4)near2 (write or clock)) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data))) with ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency))))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 08:28
-	7	((((re\$cover\$4 or regenerat\$4 or reproduc\$4 or extract\$4 or restor\$4)near2 (write or clock)) with ((encoded or combin\$4 or multiplex\$4 or mix\$4)near3 (data))) same ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency))))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 08:28
-	272	((USB or serial or IEEE\$1394) adj transceiver)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 10:50
-	35	((USB or serial or IEEE\$1394) adj transceiver)) and encoder	USPAT; US-PGPUB; IBM_TDB	2004/06/18 10:50
-	23	((((USB or serial or IEEE\$1394) adj transceiver)) and encoder) and decoder	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:10
-	0	((((USB or serial or IEEE\$1394) adj transceiver)) and encoder) and decoder	EPO; JPO; DERWENT	2004/06/18 12:10
-	1	((((USB or serial or IEEE\$1394) adj transceiver)) and encoder)	EPO; JPO; DERWENT	2004/06/18 12:12
-	8	((((USB or serial or IEEE\$1394) adj transceiver)) and memory)	EPO; JPO; DERWENT	2004/06/18 12:14
-	190	((((USB or serial or IEEE\$1394) adj transceiver)) and memory)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:14
-	69	((((USB or serial or IEEE\$1394) adj transceiver)) same(stor\$4 or memory))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:14
-	13	(((((USB or serial or IEEE\$1394) adj transceiver)) same(stor\$4 or memory))) and encoder	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:14
-	12	(((((USB or serial or IEEE\$1394) adj transceiver)) same(stor\$4 or memory))) and encoder) and decoder	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:26
-	3666	ueno.inv.	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:26
-	26	ueno.inv. and transceiver	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:27

-	128	ueno.inv. and ((transfer or communicat\$4 or transmi\$6)adj (speed or rate or frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:35
-	54	(ueno.inv. and ((transfer or communicat\$4 or transmi\$6)adj (speed or rate or frequency))) and (encod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:34
-	47	((ueno.inv. and ((transfer or communicat\$4 or transmi\$6)adj (speed or rate or frequency))) and (encod\$4)) and (decod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:34
-	41	((ueno.inv. and ((transfer or communicat\$4 or transmi\$6)adj (speed or rate or frequency))) and (encod\$4)) and (decod\$4)) and (memory)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:32
-	7805	(data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:33
-	2831	((data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4)) and (encod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:34
-	257	"l16" and (decod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:34
-	2248	((data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4)) and (encod\$4)) and (decod\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:34
-	2009	((data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4)) and (encod\$4)) and (decod\$4)) and (memory or storage or buffer)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:34
-	238	((data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4)) and (encod\$4)) and (decod\$4)) and (memory or storage or buffer)) and ((determin\$4 or detect\$4 or decid\$4)with((transfer or communicat\$4 or transmi\$6)adj (speed or rate or frequency)))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:36
-	35	"l20" and (encoded adj data)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:36
-	93	((data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4)) and (encod\$4)) and (decod\$4)) and (memory or storage or buffer)) and ((determin\$4 or detect\$4 or decid\$4)with((transfer or communicat\$4 or transmi\$6)adj (speed or rate or frequency))) and (encoded adj data)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:36
-	30	((data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4)) and (encod\$4)) and (decod\$4)) and (memory or storage or buffer)) and ((determin\$4 or detect\$4 or decid\$4)with((transfer or communicat\$4 or transmi\$6)adj (speed or rate or frequency))) and (encoded adj data)) and (decoded adj data)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 12:37
-	22	((data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4)) and (encod\$4)) and (decod\$4)) and (memory or storage or buffer)) and ((determin\$4 or detect\$4 or decid\$4)with((transfer or communicat\$4 or transmi\$6)adj (speed or rate or frequency))) and (encoded adj data)) and (decoded adj data)) and (write or read)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:31

-	20577	341/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:30
-	120	341/\$.ccls. and ((encod\$4 near3 ((information or data)adj4 clock)))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:31
-	6	(341/\$.ccls. and ((encod\$4 near3 ((information or data)adj4 clock)))) and ((data near3 (transfer or transmi\$6 or communicat\$4))with ((speed or frequency or rate or clock)near3 control\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:32
-	208	341/\$.ccls. and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:38
-	11	(341/\$.ccls. and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))) and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:45
-	25	(341/\$.ccls. and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))) and (transceiver)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:46
-	8	((341/\$.ccls. and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))) and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))) and (encoder)) and (decoder)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:46
-	9	((341/\$.ccls. and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))) and ((encod\$4 or multiplex\$4 or combin\$8 or mix\$4)near6 (data near4 clock))) and (encoder)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:47
-	10	((341/\$.ccls. and ((determin\$4 or detect\$4 or find\$4 or calculat\$4 or recogniz\$4 or identif\$5)near3 ((transfer or transmi\$6 or communicat\$4 or receiv\$4 or send\$4)near2 (speed or rate or frequency)))) and (transceiver)) and (decoder)	USPAT; US-PGPUB; IBM_TDB	2004/06/18 14:47
-	1	((plural\$4 or multiple)adj3 read)near6 ((transfer or trasmission or transmit\$4)adj2 (speed or rate or frequency))) with ((sample or reference) adj clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:22
-	1	((plural\$4 or multiple)adj3 read)near6 ((transfer or trasmission or transmit\$4)adj2 (speed or rate or frequency))) same ((sample or reference) adj clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:25
-	1	((plural\$4 or multiple)adj3 read)near6 ((transfer or trasmission or transmit\$4)adj2 (speed or rate or frequency))) and ((sample or reference) adj clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:22
-	11	((plural\$4 or multiple)adj3 read)near6 ((transfer or trasmission or transmit\$4)adj2 (speed or rate or frequency)))	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:22

-	1	((plural\$4 or multiple)adj3 read)with ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))) same ((sample or reference) adj clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:25
-	1	((plural\$4 or multiple)adj3 read)with ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))) same ((sample or reference) adj (frequency or clock))	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:25
-	29	((plural\$4 or multiple)adj3 read)with ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:30
-	5	((plural\$4 or multiple)adj3 read)with ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))	EPO; JPO; DERWENT	2004/06/21 11:26
-	56	(read adj (clock or signal))with ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:30
-	0	((read adj (clock or signal))with ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))) and (((control\$4 or select\$4)adj (read adj (clock or signal)))adj5 (speed or clock or frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:33
-	8	((read adj (clock or signal))with ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))) and (((control\$4 or select\$4)adj (read adj (clock or signal)))with (speed or clock or frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/21 11:33
-	23	(read adj (clock or signal)) near6 ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/21 12:16
-	2	((read adj (clock or signal)) near6 ((transfer or trasmissione or transmit\$4)adj2 (speed or rate or frequency))) and ((determin\$6 or detect\$4) near3 ((transfer or transmi\$7)adj3 (speed or rate or frequency)))	USPAT; US-PGPUB; IBM_TDB	2004/06/21 12:18